

PRODUCT SPECIFICATION

Specification No	RSAC-09329-00557	Version No.	V3
Date/Time Spec.Complete	1-DEC-2022 9:57 am	Product Category	REFUSE SACKS
Created By	angela oconnell	Sales Rep	
Category Manager	Josie Mangoo	Product in Food Contact	No

CRITICAL CRITERIA			
Sap Code	34565	Is Barcode Required?	Yes, on outer packaging
BRC Packaging Accreditation	No	FSC Certified Raw Material	No
FSC Certified Finished Product	No		
Product Description	CLEAR RECYCLED SACK	Product Style	CLEAR SACK
Handle Type and Dimensions (mm)	N/A	Handle Type and Dimensions Tolerance	N/A
Closed Width (mm)	457	Closed Width Tolerance	+/-5mm
Open Width (mm)	736	Open Width Tolerance	+/-5mm
Length (mm)	965	Length Tolerance	+/-5mm
Film/Material Type (+additives%)	LDPE/MDPE CLEAR 100% RECYCLED	Film/Material Colour	Clear clear/white clear/tea stain clear
Thickness	25	Thickness Tolerance	± 5%
(Total) Side/Bottom Gusset (mm)	Side 279mm	(Total) Side/Bottom Gusset Tolerance	+/-5mm
Embossed	No	Ink Colours	
Sides Printed		Printed?	No
Ink Coverage (%)		Print Name	NA
Ink Colours (Pantone Numbers)			
Inner Packaging details	N/A	Outer Packaging details	200 pcs per double wall carton
SECONDARY CRITERIA			
Cut Out (%)	N/A		
Opacity (%)	N/A	Opacity Tolerance	N/A
Unit Weight ? Individual Item (g)	31	Unit Weight ? Individual Item Tolerance	± 5%
Total Weight Excluding Outer Pack (kg)	6.2	Total Weight Excluding Outer Pack Tolerance	± 5%
Total Weight Including Outer Pack (kg)	6.5	Total Weight Including Outer Pack Tolerance	± 5%
Specification Comments			

ADDITIONAL CRITERIA			
Customer Code Required	NO	Customer Code	
Size(Diameter+Width) (mm)	N/A	Core Details (mm)	N/A
Lamination	N/A	Reinforcement	N/A
Wicket Details (mm)	N/A	Outer Barcode and Format	05022458019965 INT2OF5
Inner Barcode and Format	N/A	Safety Perforations	N/A
Individual Product Barcode and Format	N/A		
Blockhead/Thumblock Type	N/A	Trouser Test (N/15mm)	N/A
Tensile MD (N/15mm²)	N/A	Tensile MD Tolerance	N/A
Tensile CD (N/15mm²)	N/A	Tensile CD Tolerance	N/A
Elongation MD (%)	N/A	Elongation CD (%)	N/A
Tensile Handle Seal (N/15mm)	N/A	Tensile Handle Seal Tolerance	N/A
Tensile Gusset Seal (N/15mm)	N/A	Tensile Gusset Seal Tolerance	N/A
Tensile Side Gusset (N/15mm)	N/A	Tensile Side Gusset Tolerance	N/A
Tensile Base Seal (N/15mm)	N/A	Tensile Base Seal Tolerance	N/A
Elmendorf MD (mN)	N/A	Elmendorf MD Tolerance	N/A
Elmendorf CD (mN)	N/A	Elmendorf CD Tolerance	N/A
Jog Test (kg/min)	N/A	Jog Test Tolerance	N/A
Dart Impact (g)	60	Dart Impact Tolerance	Minimum 40g
Puncture Resistance (N)	N/A	Puncture Resistance Tolerance	N/A
Ink Adhesion	N/A	Applicable Regulations	PACKAGING REGULATIONS 94/62/EC. REACH REGULATIONS. TRADE DESCRIPTIONS ACT 1968 AS AMENDED BY THE CONSUMER PROTECTION FROM UNFAIR TRADING REGULATIONS 2008.

Additional Information	N/A	Carton Labels/Markings	SEE ENCLOSED LABEL. BARCODE: BAR HEIGHT 20.73 MM FOR CONSUMER UNITS (PRODUCTS/RETAILS PACKS) AND 32 MM MINIMUM FOR TRADE UNITS (INNER/OUTER CARTONS) WITH LIGHT MARGINS > 10 MM PLEASE PAY SPECIAL ATTENTION TO THE FORMAT OF THE BARCODE TO BE USED: DIGITS AND FORMATS ARE PROVIDED IN THE RELEVANT FIELD OF THIS SPEC. THE VENDOR NO. AND PO NO. MUST BE COMPLETED ON EVERY CARTON. ALSO ON EVERY CARTON THERE MUST BE A TRACEABILITY CODE AND CARTON NUMBER OF THE PRODUCTION RUN.
Pallet Type	GKN CHEP PALLET / 1000X1200MM	Pallet Configuration	No. Of Cartons/Packs Per Layer: 8 No. Of Layers Per Pallet: 13 Total No. Cartons/Packs Per Pallet: 104 (STRICTLY NO OVERHANG) The pallet configuration has been calculated based on the maximum height for EPUK warehouse. Carton Dimensions tolerance ± 5 mm
Ultimate Lift (kg)	N/A	Carton Depth (mm)	100
Carton Length (mm)	495	Carton Width (mm)	280

PLASTIC PACKAGING TAX			
Product Material	30% or More Recycled	Product Classification	3
Product Net Weight(kg)	6.200		
Primary Packaging 1	30% or More Recycled	Primary Packaging 1 Classification	3
Primary Packaging 1 Net Weight (kg)	0.065		
Primary Packaging 2	N/A	Primary Packaging 2 Classification	1
Primary Packaging 2 Net Weight (kg)	0.000	Weight relevant for PPT (kg)	0.000

BARCODE / IMAGES / ARTWORK

The enclosed is for illustrative purposes only.

The original high quality artwork is available separately.

Outer Carton Label

CLEAR RECYCLED SACK	
QTY: 200	
SAP CODE: 34565	
	
05022458019965	
TRACEABILITY CODE:	CARTON/PACK NO:
VENDOR NO:	PO NO:

PLEASE NOTE

This specification is a controlled copy when approved by relevant staff and dated. Subsequent changes in staff do not affect the validity of this specification.